

## Chapter 15 Debugging

Original slides from Gregory Byrd, North  
Carolina State University  
Modified slides by Chris Wilcox,  
Colorado State University

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

## Debugging with High Level Languages

- ◆ **Same goals as low-level debugging**
  - Examine and set values in memory
  - Execute portions of program
  - Stop execution when (and where) desired
- ◆ **Want debugging tools to operate on high-level language constructs**
  - Examine and set variables, not memory locations
  - Trace and set breakpoints on statements and function calls, not instructions
  - ...but also want access to low-level tools when needed

CS270 - Fall 2014 - Colorado State University 2

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

## Types of Errors

- ◆ **Syntactic Errors**
  - Input code is not legal
  - Caught by compiler (or other translation mechanism)
- ◆ **Semantic Errors**
  - Legal code, but not what programmer intended
  - Not caught by compiler, because syntax is correct
- ◆ **Algorithmic Errors**
  - Problem with the logic of the program
  - Program does what programmer intended, but it doesn't solve the right problem

CS270 - Fall 2014 - Colorado State University 3

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

## Syntactic Errors

- ◆ Common errors:
  - missing semicolon or brace
  - mis-spelled type in declaration
- ◆ One mistake can cause an avalanche of errors
  - because compiler can't recover and gets confused

```
main () {
    int i
    int j;
    for (i = 0; i <= 10; i++) {
        j = i * 7;
        printf("%d x 7 = %d\n", i, j);
    }
}
```

CS270 - Fall 2014 - Colorado State University 4

## Semantic Errors

### Common Errors

- Missing braces to group statements together
- Confusing assignment with equality
- Wrong assumptions about precedence/associativity
- Wrong limits on for-loop counter
- Uninitialized variables

```
main () {
    int i;
    int j;
    for (i = 0; i <= 10; i++)
        j = i * 7;
    printf("%d x 7 = %d\n", i, j);
}
```

missing braces,  
so printf not part of if

## Algorithmic Errors


- Design is wrong, so program does not solve the correct problem
- Difficult to find
  - Program does what we intended
  - Problem might not show up until after many runs
- Maybe difficult to fix
  - May have to redesign
  - May have large impact on program code
- Classic example: Y2K bug
  - only allow 2 digits for year, assuming 19\_\_

## Debugging Techniques

### Ad-Hoc

- Insert printf statements to track control flow and display values
- Add code to explicitly check for values out of expected range, incorrect branches, etc.
- Advantage:
  - No special debugging tools needed
- Disadvantages:
  - Frequent recompile and execute cycles makes this method time-consuming
  - Requires intimate knowledge of code
  - Inserted code can be buggy

## Source-Level Debugger



main window  
of Cygwin  
version of gdb

## Source-Level Debugging Techniques

### ◆ Breakpoints

- Stop when a particular statement is reached
- Stop at entry or exit of a function
- **Conditional breakpoints:**  
Stop if a variable is equal to a specific value, etc.
- **Watchpoints:**  
Stop when a variable is set to a specific value

### ◆ Single-Stepping

- Execute one statement at a time
- Step "into" or step "over" function calls
  - **Step into:** next statement is first inside function call
  - **Step over:** execute function without stopping
  - **Step out:** finish executing function, stop on exit

## Source-Level Debugging Techniques

### ◆ Displaying Values

- Show value consistent with declared type of variable
- Dereference pointers (variables that hold addresses)
  - See Chapter 16
- Inspect parts of a data structure
  - See Chapters 19