

Linked Lists

```
public class StrangeObject {
    String name;
    StrangeObject other;
}
```

Preliminaries


- Arrays are not always the optimal data structure:
 - An array has fixed size – needs to be copied to expand its capacity
 - Adding in the middle of an array requires copying all subsequent elements
- ArrayLists have the same issues since they use arrays to store their data.

Objects and references

- Object variables do not actually store an object; they store the address of an object's location in the computer's memory (references / pointers).

- Example:

```
int [] values = new int[5];
```



Java References

- When one reference variable is assigned to another, the object is *not* copied; both variables refer to the *same object*.

```
int[] a1 = {4, 5, 2, 12, 14, 14, 9};
int[] a2 = a1; //refers to same array as a1
a2[0] = 7;
System.out.println(a1[0]); // 7
```



Self references


- Consider the following class:


```
public class StrangeObject {
    String name;
    StrangeObject other;
}
```
- Will this compile?

Linking self-referential nodes

```
public class IntegerNode {
    int item;
    IntegerNode next;
}
```

- Each node object stores:
 - one piece of integer data
 - a reference to another node
- `IntegerNode` objects can be "linked" into chains to store a list of values:



The complete IntegerNode class

```

public class IntegerNode {
    private int item;
    private IntegerNode next;

    public IntegerNode(int item) {
        this.data = item;
        this.next = null;
    }
    public IntegerNode(int item, IntegerNode next) {
        this.item = item;
        this.next = next;
    }
    public void setNext(IntegerNode nextNode) {
        next = nextNode;
    }
    public IntegerNode getNext() {
        return next;
    }
    public Object getItem() {
        return item;
    }
    public void setItem(Object item){
        this.item = item;
    }
}

```

Exercise

```

public class IntegerNode {
    private int item;
    private IntegerNode next;

    public IntegerNode(int item) {...}
    public IntegerNode(int item, IntegerNode next) {...}
    public void setNext(IntegerNode nextNode) {...}
    public IntegerNode getNext() {...}
}

```

Exercise: Write code to produce the following list

Exercise

- What set of statements turns this list:
- Into this?

Exercise

- What set of statements turns this list:
- Into this?

```
list = new IntegerNode(30, list);
```

Exercise

- Let's write code that creates the following list:

Which is correct?


- list = new IntegerNode(10, new IntegerNode(20));
- list = new IntegerNode(20, new IntegerNode(10));
- Neither will correctly produce that list

Exercise


- What set of statements turns this list:
- Into this?

Exercise

- What set of statements turns this list:



- Into this?



```
list.getNext().setNext(new IntegerNode(30));
```

A more flexible version

```

public class Node {
    private Object item;
    private Node next;
    public Node(Object item) {
        this.item = item;
        this.next = null;
    }
    public Node(Object item, Node next) {
        this.item = item;
        this.next = next;
    }
    public void setNext(Node nextNode) {
        next = nextNode;
    }
    public Node getNext() {
        return next;
    }
    public Object getItem() {
        return item;
    }
    public void setItem(Object item) {
        this.item = item;
    }
}

```

Node node = new Node(5);
Java will convert 5 to an instance of class Integer

Printing a linked list

- Suppose we have a chain of nodes:



- And we want to print all the items.

Printing a linked list

- Start at the **head** of the list.
- While (there are more nodes to print):
 - Print the current node's **item**.
 - Go to the **next** node.

- How do we walk through the nodes of the list?

```
head = head.getNext(); // is this a good idea?
```



Printing a linked list

- To not lose the reference to this first node:

```
Node current = head;
```



- Move along a list by advancing a Node reference:

```
current = current.getNext();
```

Printing a linked list

Code for printing the nodes of a list:

```
Node head = ...;
```

```

Node current = head;
while (current != null) {
    System.out.println(current.getItem());
    current = current.getNext();
}

```

Similar to array code:

```

int[] a = ...;

int i = 0;
while (i < a.length) {
    System.out.println(a[i]);
    i++;
}

```

Printing a linked list

Same thing with a for loop

```
Node head = ...;

for (Node current = head; current != null; current =
current.getNext()) {
    System.out.println(current.getItem());
}
```

the array version

```
int[] a = ...;

for (int i = 0; i < a.length; i++) {
    System.out.println(a[i]);
}
```

Interim summary – why should I care?

- Linked list:
 - a self referential structure
- Advantage over arrays – no bound on capacity – can grow/shrink as needed (a dynamic structure)
- Linked lists are the basis for a lot of data structures
 - stacks, queues, trees
- The primary alternative to arrays

The list interface

Method	
object get(index)	Returns the element at the given position
index indexOf(object)	Returns the index of the first occurrence of the specified element
add(object)	Appends an element to the list
add(index, object)	inserts given value at given index, shifting subsequent values right
object remove(index)	Removes the element at the specified position (and returns it)
object remove(object)	Removes the element that corresponds to the given object (and returns it)
int size()	returns the size of the list
boolean isEmpty()	indicates if the list is empty
clear()	removes all elements from the list

index is an int, and object is of type Object

The list interface


```
public interface ListInterface {
    public boolean isEmpty();
    public int size();
    public void add(int index, Object item)
        throws ListIndexOutOfBoundsException;
    public void add(Object item);
    public void remove(int index)
        throws ListIndexOutOfBoundsException;
    public void remove(Object item);
    public Object get(int index)
        throws ListIndexOutOfBoundsException;
    public void clear();
}
```

LinkedList: constructor

```
public class LinkedList {
    private Node head;
    private int size;


    public LinkedList() {
        head = null;
        size = 0;
    }
    ...
}
```

LinkedList

```
head = 
size = 0
```

Implementing add


- How do we add to a linked list at a given index?



Implementing add

- How do we add to a linked list at a given index?

- Did we consider all the possible cases?



The add method

```


public void add(int index, Object item){
    if (index<0 || index>size)
        throw new IndexOutOfBoundsException("out of bounds");
    if (index == 0) {
        head = new Node(item, head);
    }
    else { // find predecessor of node
        Node curr = head;
        for (int i=0; i<index-1; i++){
            curr = curr.getNext();
        }
        curr.setNext(new Node(item, curr.getNext()));
    }
    size++;
}
  
```

Implementing remove

```


// Removes value at a given index
public void remove(int index) {
    ...
}
  
```

- How do we remove a node?




Removing a node from a list

- Before removing element at index 1:




- After:



Removing the first node from a list

- Before removing element at index 0:



- After:




List with a single element

- Before:



- After:



- We must change head to null.
- Do we need a special case to handle this?

The remove method

```
public void remove(int index) {
    if (index < 0 || index >= size)
        throw new IndexOutOfBoundsException(
            "List index out of bounds");
    if (index == 0) {
        // special case: removing first element
        head = head.getNext();
    } else {
        // removing from elsewhere in the list
        Node current = head;
        for (int i = 0; i < index - 1; i++) {
            current = current.getNext();
        }
        current.setNext(current.getNext().getNext());
    }
    size--;
}
```

The clear method

- How do you implement a method for removing all the elements from a linked list?

The clear method

```
public void clear() {
    head = null;
}
```

- Where did all the memory go?
- Java's garbage collection mechanism takes care of it!
- An object is eligible for garbage collection when it is no longer accessible (cyclical references don't count!)
- In C/C++ the programmer needs to release unused memory explicitly

Linked lists recursively

- We would like to print the elements in a linked list recursively.
 - What would be the signature of the method?
 - Base case?
 - Recursive case?

Recursive linked list traversal – which is correct?

```
a private void writeList(Node node) {
    if (node != null) {
        System.out.println(node.getItem());
        writeList(node.getNext());
    }
}

b private void writeList(Node node) {
    if (node != null) {
        writeList(node.getNext());
        System.out.println(node.getItem());
    }
}
```

Recursive linked list traversal

```
private void writeList(Node node) {
    //precondition: linked list is referenced by node
    //postcondition: list is displayed. list is unchanged
    if (node != null) {
        // write the first item
        System.out.println(node.getItem());
        // write the rest of the list
        writeList(node.getNext());
    }
}
```

Recursive backward traversal

- We have two ways for recursively traversing a string backwards:
 - Write the last character of the string s
 - Write string s minus its last character backward
- And
 - Write string s minus its first character backward
 - Write the first character of string s

Recursive backward traversal

- Translated to our problem:
 - write the last node of the list
 - write the list minus its last node backward And
 - write the list minus its first node backward
 - write the first node of the list

Which of these strategies is better for linked lists?

Recursive backward traversal


```
private void writeListBackward (Node node) {
    //precondition: linked list is referenced by node
    //postcondition: list is displayed. list is unchanged
    if (node != null) {
        // write the rest of the list
        writeListBackward(node.getNext());
        // write the first item
        System.out.println(node.getItem());
    }
}
```

Recursive add method


```
public void add(Object item) {
    head = addRecursive(head, item);
}
private Node addRecursive(Node node, Object item) {
    if (node == null) {
        node = new Node(item, node);
    }
    else { // insert into the rest of the linked list
        node.setNext(addRecursive(
            node.getNext(), item));
    }
    return node;
}
```

Variations

- Circular linked list



- Doubly linked list



- What are the advantages and disadvantages of a doubly linked list?

image from: http://en.wikipedia.org/wiki/Linked_list