

Chapter 19 Data Structures

Original slides from Gregory Byrd, North Carolina State University

Modified slides by Chris Wilcox, Colorado State University

Data Structures

- A data structure is a particular organization of data in memory.
 - We want to group related items together.
 - We want to organize these data bundles in a way that is convenient to program and efficient to execute.
- An array is one kind of data structure. In this chapter, we look at two more:
 - struct directly supported by C
 - linked list built from struct and dynamic allocation

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Structures in C

- A struct is a mechanism for grouping together related data items of different types.
 - Recall that an array groups items of a single type.
 - Example: We want to represent an airborne aircraft:

```
char flightNum[7];
int altitude;
int longitude;
int latitude;
int heading;
double airSpeed;
```

 We can use a struct to group data fields for each plane in a single named entity.

```
Copyright \textcircled{\sc c} The McGraw-Hill Companies, Inc. Permission required for reproduction or display.
```

Defining a Struct

• We first need to define a new type for the compiler and tell it what our struct looks like.

```
struct flightType {
```

```
char flightNum[7]; /* max 6 characters */
int altitude; /* in meters */
int longitude; /* in tenths of degrees */
int latitude; /* in tenths of degrees */
int heading; /* in tenths of degrees */
double airSpeed; /* in km/hr */
```

};

- This tells the compiler how big our struct is and how the different data items ("members") are laid out in memory.
- But it does not <u>allocate</u> any memory.

CS270 - Fall Semester 2014

Declaring and Using a Struct

 To allocate memory for a struct, we declare a variable using our new data type.

<pre>struct flightType plane;</pre>	plane.flightNum[0]
 Memory is allocated, and we can access individual members of this variable: 	
plane.airSpeed = 800.0; \setminus	plane.flightNum[6]
plane.altitude = 10000; \prec	plane.altitude
 A struct's members are laid out in the order specified by the definition. 	plane.latitude plane.heading plane.airspeed

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

5

7

typedef

 C provides a way to define a data type by giving a new name to a predefined type.

Syntax:

```
typedef <type> <name>;
```

Examples:

```
typedef int Color;
typedef struct flightType WeatherData;
typedef struct ab_type {
    int a;
    double b;
} ABGroup;
```

Defining and Declaring at Once

• You can both define and declare a struct at the same time.

```
struct flightType
{
    char flightNum[7]; /* max 6 characters */
    int altitude; /* in meters */
    int longitude; /* in tenths of degrees */
    int latitude; /* in tenths of degrees */
    int heading; /* in tenths of degrees */
    double airSpeed; /* in km/hr */
} maverick;
```

And you can use flightType to declare other structs.
 struct flightType iceMan;

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Using typedef

 This gives us a way to make code more readable by giving application-specific names to types.

```
Color pixels[500];
Flight plane1, plane2;
```

Typical practice

Put typedef's into a header file, and use type names in main program. If the definition of Color/Flight changes, you might not need to change the code in your main program file.

Generating Code for Structs

Suppose our program starts out like this:



Array of Structs

Can declare an array of structs:

Flight planes[100];

- Each array element is a struct (7 words, in this case).
- To access member of a particular element:

planes[34].altitude = 10000;

 Because [] and . operators have the same precedence, and both associate left-to-right, this is the same as:

(planes[34]).altitude = 10000;

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Pointer to Struct

We can declare and create a pointer to a struct:

Flight *planePtr;

planePtr = &planes[34];

- To access a member of the struct addressed by pointer:
- (*planePtr).altitude = 10000;
- Because the . operator has higher precedence than *, this is NOT the same as:
- *planePtr.altitude = 10000;
- C provides special syntax for accessing a struct member through a pointer:

```
planePtr->altitude = 10000;
```

Passing Structs as Arguments

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

- Unlike an array, a struct is always passed by value into a function.
 - This means the struct members are copied to the function's activation record, and changes inside the function are not reflected in the calling routine's copy.
- Most of the time, you'll want to pass a pointer to a struct. int Collide(Flight *planeA, Flight *planeB)

if (planeA->altitude == planeB->altitude) {

```
}
else
return 0;
}
```

Ł

Dynamic Allocation

- Suppose we want our weather program to handle a variable number of planes - as many as the user wants to enter.
 - We can't allocate an array, because we don't know the maximum number of planes that might be required.
 - Even if we do know the maximum number, it might be wasteful to allocate that much memory because most of the time only a few planes' worth of data is needed.

Solution:

Allocate storage for data dynamically, as needed.

CS270 - Fall Semester 2014

13

malloc

The Standard C Library provides a function for allocating memory at run-time: malloc.

void *malloc(size_t numBytes);

- It returns a generic pointer (void*) to a contiguous region of memory of the requested size (in bytes).
- The bytes are allocated from a region in memory called the **heap**.
 - The run-time system keeps track of chunks of memory from the heap that have been allocated.

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

Using malloc

To use malloc, we need to know how many bytes to allocate. The **sizeof** operator asks the compiler to calculate the size of a particular type.

```
planes = malloc(n * sizeof(Flight));
```

• We may (but don't have to, because **void** * is special) change the type of the return value to the proper kind of pointer - this is called "casting."

```
planes =
    (Flight*) malloc(n* sizeof(Flight));
```

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

Example

int airbornePlanes; Flight *planes;

```
printf("How many planes are in the air?");
scanf("%d", &airbornePlanes);
```

```
planes =
  malloc(sizeof(Flight)*airbornePlanes);
if (planes == NULL) {
  printf("Error in allocating the data array.\n");
  . . .
                                 If allocation fails.
                                 malloc returns NULL.
planes[0].altitude = ...
                Note: Can use array notation
                or pointer notation.
                      CS270 - Fall Semester 2014
```

16

free and calloc

- Once the data is no longer needed, it should be released back into the heap for later use.
 - This is done using the free function, passing it the same address that was returned by malloc.

void free(void*);

- If allocated data is not freed, the program might run out of heap memory and be unable to continue.
- Sometimes we prefer to initialize allocated memory to zeros, calloc function does this:

void *calloc(size_t count, size_t size);

CS270 -	Fall	Semester	2014

The Linked List Data Structure

- A linked list is an ordered collection of nodes, each of which contains some data, connected using pointers.
 - Each node points to the next node in the list.
 - The first node in the list is called the head.
 - The last node in the list is called the tail.



CS270 - Fall Semester 2014

18

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

- A linked list can only be accessed sequentially.
- To find the 5th element, for instance, you must start from the head and follow the links through four other nodes.
- Advantages of linked list:
 - Dynamic size
 - Easy to add additional nodes as needed
 - Easy to add or remove nodes from the middle of the list (just add or redirect links)
- Advantage of array:
 - Can easily and quickly access arbitrary elements

Example: Car Lot

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

- Create an inventory database for a used car lot. Support the following actions:
 - Search the database for a particular vehicle.
 - Add a new car to the database.
 - Delete a car from the database.
- The database must remain sorted by vehicle ID.
- Since we don't know how many cars might be on the lot at one time, we choose a linked list representation.

Car data structure

- Each car has the following characterics: vehicle ID, make, model, year, mileage, cost.
- Because it's a linked list, we also need a pointer to the next node in the list:

typedef struct carType Car;

```
struct carType {
    int vehicleID;
    char make[20];
    char model[20];
    int year;
    int mileage;
    double cost;
    Car *next; /* ptr to next car in list */
}
```

CS270 - Fall Semester 2014

21

23

Scanning the List

 Searching, adding, and deleting all require us to find a particular node in the list. We scan the list until we find a node whose ID is >= the one we're looking for.

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Adding a Node

Create a new node with the proper info.
 Find the node (if any) with a greater vehicleID.
 "Splice" the new node into the list:



Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Excerpts from Code to Add a Node

Deleting a Node

Find the node that points to the desired node.
 Redirect that node's pointer to the next node (or NULL).
 Free the deleted node's memory.



Excerpts from Code to Delete a Node

printf("Enter vehicle ID of car to delete:\n");
scanf("%d", vehicleID);

```
prevNode = ScanList(head, vehicleID);
delNode = prevNode->next;
```

```
if ((delNode != NULL)
    && (delNode->vehicleID == vehicleID))
    prevNode->next = delNode->next;
    free(delNode);
}
else {
    printf("Vehicle not found in database.\n");
}
```

CS270 - Fall Semester 2014

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Building on Linked Lists

- The linked list is a fundamental data structure.
 - Dynamic
 - Easy to add and delete nodes
- The concepts described here will be helpful when learning about more elaborate data structures:
 - Trees
 - Hash Tables
 - Directed Acyclic Graphs
 - ...