

C Versus C++

- Question: Aren't they really almost the same language? Isn't C++ just a superset of C? Answer: No, C++ is very different and immensely more powerful than C.
- Question: Can I take my C programs and turn then into C++ by adding objects around everything? Answer: Yes, but there's lots more to C++ than just object-oriented C.
- Question: Can I ignore C++ and move on to Java? Isn't that what everyone programs in now? Answer: Maybe, it depends on where you work and what you do.
- Question: Does the instructor of this course think that C++ is an amazing language. Answer: Of course, however I am aware that C++ has its own set of arcane problems.

CS270 - Fall Semester 2014

 $\label{eq:copyright log} \ensuremath{\mathbb{C}} \ensuremath{\mathsf{Copyright}} \ensuremath{\mathbb{C}} \ensuremath{\mathsf{Copyright}} \ensuremath{\mathbb{C}} \ensuremath{\mathsf{Copyright}} \ensuremath{\mathbb{C}} \ensuremath{\mathsf{Copyright}} \ensuremath{\mathbb{C}} \ensuremath{\mathsf{Copyright}} \ensu$

C versus C++

(Procedural Programming

versus Object Oriented)

Colorado State University

Original slides by Chris Wilcox,

C Language

- What does the C language provide? Variables, constants, simple data types, compound data types, operators, control flow, pointers, functions.
- What is the structure of a C program? Really just an entry point, functions, and global data. Any function can call all other functions, anytime. Same is true for data access.
- What does the C language not provide? Objects, interfaces, encapsulation, inheritance, and standard mechanisms for threading, mutexes, semaphores, sockets, and timers. Also no containers and algorithms.
- Four 'C' dilemmas: 1) how to organize procedural code, 2) how to make programs portable, and 3) how to avoid writing defects, including pointer and memory management bugs!



Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.



Procedural Programming

- Much effort has been spent trying to develop solutions that allow organization of procedural programs:
 - Define interfaces using application programming interfaces (APIs) to divide architectural layers.
 - Organize functions to maximize cohesion and minimize coupling between modules.
 - Create header files with related functions, essentially the equivalent of an object-oriented interface.
 - Avoid the use of global variables, group related data items into structures which can carefully managed.
- Does this solve the problem? Only if a disciplined approach is maintained, but this is rarely the case (in my experience).

Copyright $\textcircled{\sc c}$ The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

Object Oriented Languages

- Group data and code into a single entity called an object, allowing encapsulation of complex internals.
- Key concept: separation of interface from implementation, allows an abstraction of functionality.
- Architects draw a block diagram of the entire system and identify and design interfaces.
- Public, protected, and private classification apply to data or methods within the object.
- Common practice: never allow external access to data objects, supply get and set methods instead.
- OO languages facilitate achieving low coupling which is enforced by the language itself.

Object Declaration

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

class Clookup {

public:

void construct(vector<sTable> vTables, U32
uLutSize);

void generate(string sPreamble);

void replace(string sReplace);

private:

};

void analyze(Eanalysis eAnalysis, U32 uLut); vector<sTable> m vTables;

vector<sVariable> m_vVariables;

U32 m_uLutSize;

Other C++ Features

- C++ standard template library (STL): completely new containers and associated algorithms:
 - vector, list, deque, set, multiset, hash containers
 - find, count, sort, search, merge, count, bound
- C++ strings: a complete revision to the C character array and string functions, much more like Java:
 - string
- C++ iostream library, a complete revision of the C functions for input/output, but native to C++:
 - ios, istream, iostream, fstream, sstream
- C++ memory management: a complete revision to the C malloc and free interface, but still explicit!

new, delete

CS270 - Fall Semester 2014

C++ Missing Features

As compared to Java: •Standard syntax for sockets •Standard syntax for threading •Standard syntax for synchronization (mutex, semaphore) •Standard syntax for timing

Thus all of these remain operating system dependent!

CS270 - Fall Semester 2014

C++ Strings Example

Copyright © The McGraw-Hill Companies. Inc. Permission required for reproduction or display

#include <string>
string s1 = "This is ";
string s2 = "a string";
string s3 = s1 + s2; // string concatenation
if (s1 == s2) // string comparison
int len = s3.length(); // string length
string s4 = s3.substr(0,5); // extract substring
int i = s3.find("is", 0); // find substring
s3.erase(3, 7); // erase substring
const char *oldstr = s3.c_str(); // C string

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

C++ Vector Example

#include <vector>
vector<int> vlntegers;
vector<float> vFloats;
vector<string> vStrings;
vlntegers.clear(); // clear the vector
vlntegers.push_back(1234); // add an entry
vlntegers.push_back(3456); // add an entry
vlntegers.size(); // return the size
vlntegers[0]; or vlntegers.at(0); // access element
vlntegers.insert(0, 2345); // insert element

C++ Streams Example