

The diagram on the left shows three circular icons connected by arrows. The top icon contains a block diagram of a computer system with a CPU, memory, and I/O devices. The middle icon contains a purple square labeled 'CPU'. The bottom icon contains a circuit diagram. Arrows point from the top and bottom icons towards the middle 'CPU' icon.

Chapter 10 Memory Model for Program Execution

Original slides by Chris Wilcox,
Colorado State University

1

Problem

How do we allocate memory during the execution of a program written in C?

- ◆ Programs need memory for code and data such as instructions, global and local variables, etc.
- ◆ Modern programming practices encourage many (reusable) functions, callable from anywhere.
- ◆ Some memory can be statically allocated, since the size and type is known at compile time.
- ◆ Some memory must be allocated dynamically, size and type is unknown at compile time.

2

Motivation

Why is memory allocation important? Why not just use a memory manager?

- ◆ Allocation affects the performance and memory usage of every C, C++, Java program.
- ◆ Current systems do not have enough registers to store everything that is required.
- ◆ Memory management is too slow and cumbersome to solve the problem.
- ◆ Static allocation of memory resources is too inflexible and inefficient, as we will see.

3

Goals

- ◆ What do we care about?
 - Fast program execution
 - Efficient memory usage
 - Avoid memory fragmentation
 - Maintain data locality
 - Allow recursive calls
 - Support parallel execution
 - Minimize resource allocation
 - **Memory should never be allocated for functions that are not executed.**

4

Function Call

- ◆ Consider the following code:

```
// main program
int a = 10;
int b = 20
c = foo(a, b);
int foo(int x, int y)
{
    int z;
    z = x + y;
    return z;
}
```

- ◆ What needs to be stored?
 - Code, parameters, locals, globals, return values

5

Storage Requirements

- ◆ Code must be stored in memory so that we can execute the function.
- ◆ The return address must be stored so that control can be returned to the caller.
- ◆ Parameters must be sent from the caller to the callee so that the function receives them.
- ◆ Return values must be sent from the callee to the caller, that's how results are returned.
- ◆ Local variables for the function must be stored somewhere, is one copy enough?

6

Possible Solution: Mixed Code and Data

- ◆ Function implementation:

```
foo          JMP foo_begin # skip over data
foo_rv       .BLKW 1       # return value
foo_ra       .BLKW 1       # return address
foo_paramx   .BLKW 1       # 'x' parameter
foo_paramy   .BLKW 1       # 'y' parameter
foo_localz   .BLKW 1       # 'z' local
foo_begin    ST R7, foo_rv  # save return
...
LD R7, foo_ra # restore return
RET
```

- ◆ Can construct data section by appending foo_

7

Possible Solution: Mixed Code and Data

- ◆ Calling sequence

```
ST R1, foo_paramx # R1 has 'x'
ST R2, foo_paramx # R2 has 'y'
JSR foo           # Function call
LDR R3, foo_rv    # R3 = return value
```

- ◆ Code generation is relatively simple.
- ◆ Few instructions are spent moving data.

8

Possible Solution: Mixed Code and Data

◆ Advantages:

- Code and data are close together
- Conceptually easy to understand
- Minimizes register usage for variables
- Data persists through life of program

◆ Disadvantages:

- Cannot handle recursion or parallel execution
- Code is vulnerable to self-modification
- Consumes resource for inactive functions

9

Possible Solution: Separate Code and Data

◆ Memory allocation:

```
foo_rv      .BLKW 1    # foo return value
foo_ra      .BLKW 1    # foo return address
foo_paramx  .BLKW 1    # foo 'x' parameter
foo_paramy  .BLKW 1    # foo 'y' parameter
foo_localz  .BLKW 1    # foo 'z' local
bar_rv      .BLKW 1    # bar return value
bar_ra      .BLKW 1    # bar return address
bar_paramw  .BLKW 1    # bar 'w' parameter
```

- ◆ Code for foo() and bar() are somewhere else
- ◆ Function code call is similar to mixed solution

10

Possible Solution: Separate Code and Data

◆ Advantages:

- Code can be marked 'read only'
- Conceptually easy to understand
- Early Fortran used this scheme
- Data persists through life of program

◆ Disadvantages:

- Cannot handle recursion or parallel execution
- Consumes resource for inactive functions

11

Real Solution: Execution Stack

- ◆ Instructions are stored in code segment
- ◆ Global data is stored in data segment
- ◆ Statically allocated memory uses stack
- ◆ Dynamically allocated memory uses heap



- Code segment is write protected
- Initialized and uninitialized globals
- Heap can be fragmented
- Stack size is usually limited
- Stack can grow either direction (usual convention is **down**)

12

Execution Stack

◆ What is a stack?

- First In, Last Out (FILO) data structure
- PUSH adds data, POP removes data
- Overflow condition: push when stack full
- Underflow condition: pop when stack empty
- Stack grows and shrinks as data is added and removed
- Stack grows downward from the end of memory space
- Function calls allocate a stack frame
- Return cleans up by freeing the stack frame
- Corresponds nicely to nested function calls
- **Stack Trace** shows current execution (Java/Eclipse)

13

Stack Trace

- ◆ Example stack trace from gdb: main() calls A() calls B() calls C() calls D().
- ◆ Breakpoint is set in function D(), note that main() is at the bottom, D() is at the top.


```
(gdb) info stack
#0  D (a=8, b=9) at stacktest.c:23
#1  0x00400531 in C (a=7, b=8) at stacktest.c:19
#2  0x0040050c in B (a=6, b=7) at stacktest.c:15
#3  0x004004e7 in A (a=5, b=6) at stacktest.c:11
#4  0x00400566 in main () at stacktest.c:29
```

14

Execution Stack

◆ Picture of stack during program execution, same call stack as previous slide:

- main() calls A(5,6)
- A(5,6) calls B(6,7)
- B(6,7) calls C(7,8)
- C(7,8) calls D(8,9)



15


Stack Requirements

- ◆ Consider what has to happen in a function call:
 - Caller must allocate space for the return value.
 - Caller must pass parameters to the callee.
 - Caller must save the return address.
 - Caller must transfer control to the callee.
 - Callee requires space for local variables.
 - Callee must return control to the caller.
- ◆ Parameters, return value, return address, and locals are stored on the stack.
- ◆ The order above determines the responsibility and order of stack operations.

16

Execution Stack

- Definition: A stack frame or activation record is the memory required for a function call:



- Stack frame below contains the function that called this function.
- Stack frame above contains the functions called from this function.
- Caller allocates return value, pushes parameters and return address.
- Callee allocates and frees local variables, stores the return value.

17


Stack Pointers

- Clearly we need a variable to store the **stack pointer** (SP), LC3 assembly uses R6.
- Stack execution is ubiquitous, so hardware has a stack pointer, sometimes even instructions.
- Problem: stack pointer is difficult to use to access data, since it moves around constantly.
- Solution: allocate another variable called a **frame pointer** (FP), for stack frame, uses R5.
- Where should frame pointer point? Convention sets it between caller and callee data.

18

Execution Stack

- Definition: A stack frame or activation record is the memory required for a function call:



- Locals are accessed by negative offsets from frame pointer.
- Parameters and return value are accessed by positive offsets.
- Most offsets are small, this explains LDR/STR implementation.
- Base register stores pointer, signed offset accesses both directions.

19


Execution Stack

- In the previous solutions, the compiler allocated parameters and locals in fixed memory locations.
- Using an execution stack means parameters and locals are constantly moving around.
- The frame pointer solves this problem by using fixed offsets instead of addresses.
- The compiler can generate code using offsets, without knowing where the stack frame will reside.
- Frame pointer needs to be saved and restored around function calls. How about the stack pointer?

20

Nested Calls

- ◆ Definition: A stack frame or activation record is the memory required for a function call:



21

Execution Stack

- ◆ Advantages:
 - Code can be marked 'read only'
 - Conceptually easy to understand
 - Supports recursion and parallel execution
 - No resources for inactive functions
 - Good data locality, no fragmenting
 - Minimizes register usage
- ◆ Disadvantages:
 - More memory than static allocation

22

Detailed Example

- ◆ Assume POP and PUSH code as follows:

```
MACRO PUSH(reg)
    ADD R6,R6,#-1 ; Decrement SP
    STR reg,R6,#0 ; Store value
END

MACRO POP(reg)
    LDR reg,R6,#0 ; Load value
    ADD R6,R6,#1 ; Increment SP
END
```

23


Detailed Example

- ◆ Main program to illustrate stack convention:

```
.ORIG x3000
MAIN    LD R6,STACK ; init stack pointer
        LD R0,OPERAND0 ; load first operand
        PUSH R0 ; PUSH first operand
        LD R1,OPERAND1 ; load second operand
        PUSH R1 ; PUSH second operand
        JSR FUNCTION ; call function
        LDR R0,R6,#0 ; POP return value
        ADD R6,R6,#3 ; unwind stack
        ST R0,RESULT ; store result
        HALT
```

24

Detailed Example



Stack before JSR instruction

25

Detailed Example


◆ Function code to illustrate stack convention:

```
FUNCTION
    ADD R6,R6,#-1 ; alloc return value
    PUSH R7       ; PUSH return address
    PUSH R5       ; PUSH frame pointer
    ADD R5,R6,#-1 ; FP = SP-1

    ADD R6,R6,#-1 ; alloc local variable
    LDR R2,R5,#4  ; load first operand
    LDR R3,R5,#5  ; load second operand
    ADD R4,R3,R2  ; add operands
    STR R4,R5,#0  ; store local variable
```

26

Detailed Example



Stack during body of FUNCTION

27

Detailed Example

◆ Function code to illustrate stack convention:

```
FUNCTION ; stack exit code
    STR R4,R5,#3 ; store return value
    ADD R6,R5,#1 ; SP = FP+1
    POP R5       ; POP frame pointer
    POP R7       ; POP return address
    RET          ; return

OPERAND0 .FILL x1234 ; first operand
OPERAND1 .FILL x2345 ; second operand
RESULT  .BLKW 1      ; result
STACK   .FILL x4000  ; stack address
```

28

Stack Execution

- ◆ Summary of memory model:
 - We have discussed the stack model for execution of C programs, and along the way we have shown how a compiler might generate code for function calls.
- ◆ Future programming assignment:
 - Write a recursive function in C, then implement the same function in assembly code, managing memory using the stack model.